TORM PTO - 1449 SUPPLEMENTAL INFORMATION DISCLOSURE

TATEMENT

ATTORNEY DOCKET NO.: LEX-003

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/256,156

FILING DATE: February 24, 1999 **GROUP: 1647**

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|------|--------------------|----------|--------------------------|-------|--------------|----------------------------------|
| EXAM. INIT. | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB CLASS | FILING DATE IF APPROPRIATE |
| A | A111 | 4,522,811 | 6/1/85 | Eppstein et al. | | | |
| 1 | A112 | 4,667,016 | 5/19/87 | Lai et al. | | | |
| | A113 | 4,732,683 | 3/22/88 | Georgiades et al. | | | |
| | A114 | 4,737,462 | 4/12/88 | Mark et al. | | · | |
| | A115 | 4,975,369 | 12/4/90 | Beavers et al. | | | |
| | A116 | 5,082,658 | 1/21/92 | Palladino | | | |
| | A117 | 5,091,513 | 2/25/92 | Huston et al. | | | |
| | A118 | 5,399,346 | 3/21/95 | Anderson et al. | | | |
| | A119 | 5,428,130 | 6/27/95 | Capon et al. | | | |
| | A120 | 5,480,981 | 1/2/96 | Goodwin et al. | | | |
| | A121 | 5,589,466 | 12/31/96 | Felgner et al. | | | |
| | A122 | 5,614,184 | 3/25/97 | Sytkowski <i>et al</i> . | | | |
| | A123 | 5,712,120 | 1/27/98 | Rodriguez et al. | | | |
| | A124 | 5,738,852 | 4/14/98 | Robinson et al. | | | |
| | A125 | 5,795,779 | 8/18/98 | McCormick | | | |
| | A126 | 5,827,703 | 10/27/98 | Debs et al. | | | |
| | A127 | 5,837,821 | 11/17/98 | Wu et al. | | | |
| | A128 | 5,888,773 | 3/30/99 | Jost et al. | | | |
| | A129 | 6,281,010 | 8/28/01 | Gao et al. | | | |
| | A130 | 6,291,158 | 9/18/01 | Winter et al. | | | |
| 1 | A131 | 6,627,615 | 9/30/03 | Debs et al. | | | |
| | A132 | 2004/0180035 | 9/16/04 | Gillies et al. | | | |

PAGE 2 OF 12

FORM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE

STATEMENT

ATTORNEY DOCKET NO.: LEX-003

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/256,156

FILING DATE: February 24, 1999 GROUP: 1647

| | | | FOR | EIGN PATEN | T DOCUM | IENTS | | | |
|---------------|------|--------------------|----------|------------|---------|--------------|----------------|------------------|--------------------------|
| EXAM INIT. | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB CLASS | FILING DATE | ABSTRACT ONLY | ENGLISH LANG (Y/N) |
| And | B108 | 0 428 267 B1 | 12/11/96 | EP | | | | | Y |
| 1 | B109 | 0 428 596 B1 | 4/17/96 | EP | | | | | Y |
| | B110 | 0 433 827 B1 | 3/4/98 | EP | | | | | Y |
| | B111 | 0 519 596 A1 | 12/23/92 | EP | | | | | Y |
| | B112 | 0 668 351 B1 | 9/22/99 | EP | | | | | Y |
| | B113 | 0 699 755 A2 | 3/6/96 | EP | | | | | Y |
| | B114 | 2 188 638 | 10/7/87 | GB | | | | | Y |
| | B115 | WO 92/10755 | 6/25/92 | PCT | - | | | | Y |
| | B116 | WO 94/25609 | 11/10/94 | РСТ | | | | , | Y |
| | B117 | WO 96/40792 | 12/19/96 | РСТ | | | | | Y |
| | B118 | WO 98/52976 | 11/26/98 | РСТ | | | | | Y |
| | B119 | WO 00/01822 | 1/13/00 | PCT | | | | | Y |
| | B120 | WO 02/074783 | 9/26/02 | PCT | | 1 | | | Y |

Express Mail Mailing Label No.: EV668158635US PAGE 3 OF 12 FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-003 SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. **STATEMENT** SERIAL NO.: 09/256,156 **GROUP: 1647** FILING DATE: February 24, 1999 OTHER ART, JOURNAL ARTICLES, ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Aichele et al., (1994), "Peptide-Induced T-Cell Tolerance to Prevent Autoimmune Diabetes in a Transgenic C260 Mouse Model," Proc. Natl. Acad. Sci. USA, 91:444-448. C261 Altschul et al., (1990), "Basic Local Alignment Search Tool," J. Mol. Biol., 215:403-10. Altschul et al., (1997), "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search C262 Programs," Nucleic Acids Res., 25(17):3389-3402.

| Anderson et al., (1994), "Effects of Route and Formulation on Clinical Pharmacokinetics of Interleukin-2," Clin. Pharmacokinet., 27(1):19-31. Baici et al., (1980), "Kinetics of the Different Susceptibilities of the Four Human Immunoglobulin G Subclasses to Proteolysis by Human Lysosomal Elastase," Scand. J. Immunol., 12(1):41-50. Barbulescu et al., (1998), "IL-12 and IL-18 Differentially Regulate the Transcriptional Activity of the Human IFN-γ Promoter in Primary CD4+ T Lymphocytes," J. Immunol., 160:3642-7. Bednarek et al., (1991), "Soluble HLA-A2.1 Restricted Peptides that are Recognized by Influenza Virus Specific Cytotoxic T Lymphocytes," J. Immunol. Methods, 139:41-47. | | |
|---|--|--|
| Subclasses to Proteolysis by Human Lysosomal Elastase," <u>Scand. J. Immunol.</u> 12(1):41-50. Barbulescu et al., (1998), "IL-12 and IL-18 Differentially Regulate the Transcriptional Activity of the Human IFN-y Promoter in Primary CD4+ T Lymphocytes," <u>J. Immunol.</u> , 160:3642-7. Bednarek et al., (1991), "Soluble HLA-A2.1 Restricted Peptides that are Recognized by Influenza Virus | | |
| IFN-γ Promoter in Primary CD4+ T Lymphocytes," <u>J. Immunol.</u> , 160:3642-7. Bednarek et al., (1991), "Soluble HLA-A2.1 Restricted Peptides that are Recognized by Influenza Virus | | |
| | | |
| | | |
| Benacerraf et al., (1959), "The Clearance of Antigen Antibody Complexes from the Blood by the Reticulo-Endothelial System," J. Immunol., 82:131-7. | | |
| Böhm, (1994), "On the Use of LUDI to Search the Fine Chemicals Directory for Ligands of Proteins of Known Three-Dimensional Structure," <u>J. Comput. Aided Mol. Des.</u> , 8:623-32. | | |
| Böhm, (1994), "The Development of a Simple Empirical Scoring Function to Estimate the Binding Constant for a Protein-Ligand Complex of Known Three-Dimensional Structure," <u>J. Comput. Aided Mol. Des.</u> , 8(3):2-56. | | |
| Böhm, (1998), "Prediction of Binding Constants of Protein Ligands: A Fast Method for the Prioritization of Hits Obtained from De Novo Design or 3D Database Search Programs," J. Comput. Aided Mol. Des., 12(4):309-23. | | |
| Boshart et al., (1985), "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell, 41:521-530. | | |
| Boulianne et al., (1984), "Production of Functional Chimaeric Mouse/Human Antibody," Nature, 312:643-6. | | |
| Bourgois et al., (1974), "Determination of the Primary Structure of a Mouse IgG2a Immunoglobulin: Amin Acid Sequence of the Fc Fragment: Implications for the Evolution of Immunoglobulin Structure and Function Eur. J. Biochem., 43:423-35. | | |
| Brambell et al., (1964), "A Theoretical Model of γ-Globulin Catabolism," Nature, 203:1352-55. | | |
| Brazolot Millan et al., (1998), "Cpg DNA Can Induce Strong TH1 Humoral and Cell-Mediated Immune Responses against Hepatitis B Surface Antigen in Young Mice," Proc. Natl. Acad. Sci. USA, 95:15553-8. | | |
| | | |

| EXAMINER / | DATE CONSIDERED | 6/6 | 2005 | |
|------------|-----------------|-----|---------------------------------------|--|
| | | | · · · · · · · · · · · · · · · · · · · | |

PAGE 4 OF 12

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-003 SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. STATEMENT SERIAL NO.: 09/256,156 **GROUP: 1647** FILING DATE: February 24, 1999 OTHER ART, JOURNAL ARTICLES, ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Brekke et al., (1994), "Human IgG Isotype-Specific Amino Acid Residues Affecting Complement-Mediated C277 Cell Lysis and Phagocytosis," Eur. J. Immunol., 24:2542-2547. Brem et al., (1993), "The Combination of Antiangiogenic Agents to Inhibit Primary Tumor Growth and C278 Metastasis," J. Pediatr. Surg., 28(10):1253-7. Brooks et al., (1983), "CHARMM: A Program for Macromolecular Energy, Minimization, and Dynamics C279 Calculations," J. Comput. Chemistry, 4:187-217. Broudy et al., (1988), "Recombinant Human Erythropoietin: Purification and Analysis of Carbohydrate C280 Linkage," Arch. Biochem. Biophys., 265:329-36. Bubenik et al., (1995), "Interleukin-2 Gene Therapy of Residual EL-4 Leukaemia Potentiates the Effect of C281 Cyclophosphamide Pretreatment," J. Cancer Res. Clin. Oncol., 121:39-43. Bumol et al., (1982), "Unique Glycoprotein-Proteoglycan Complex Defined by Monoclonal Antibody on C282 Human Melanoma Cells," Proc. Natl. Acad. Sci. USA, 79:1245-9. Carnemolla et al., (1989), "A Tumor-Associated Fibronectin Isoform Generated by Alternative Splicing of C283 Messenger RNA Precursors," J. Cell. Biol., 108:1139-1148. Carnemolla et al., (1992), "The Inclusion of the Type III Repeat ED-B in the Fibronectin Molecule Generates C284 Conformational Modifications that Unmask a Cryptic Sequence," J. Bjol. Chem., 267(34):24689-24692. Cazzola et al., (1998), "Red Blood Cell Precursor Mass as an Independent Determinant of Serum C285 Erythropoietin Level," Blood, 91:2139-45. Chan et al., (1992), "Mechanisms of IFN-γ Induction by Natural Killer Cell Stimulatory Factor (NKSF/IL-12). C286 Role of Transcription and mRNA Stability in the Synergistic Interaction Between NKSF and IL-2," 1. Immunol., 148:92-98. Chappel et al., (1991), "Identification of the Fc Gamma Receptor Class I Binding Site In Human IgG Through C287 Use of Recombinant IgG1/IgG2 Hybrid and Point-Mutated Antibodies," Proc. Natl. Acad. Sci. USA, Cheetham, (1998), "NMR Structure of Human Erythropoietin and a Comparison with its Receptor Bound Conformation," Nat. Struct. Biol., 5:861-6. Ciardiello et al., (1996), "Antitumor Activity of Combined Blockade of Epidermal Growth Factor Receptor and C289 Protein Kinase A," J. Natl. Cancer Inst., 88:1770-6. Cirulli et al., (1998), "KSA Antigen Ep-CAM Mediates Cell-Cell Adhesion of Pancreatic Epithelial Cells: C290 Morphoregulatory Roles in Pancreatic Islet Development," J. Cell Biol., 140:1519-34. Cohen et al., (1998), "An Artificial Cell-Cycle Inhibitor Isolated from a Combinatorial Library," Proc. Natl. C291 Acad. Sci. USA, 95:14272-7. Congote et al., (1984), The Erthrotropins, New Erythroid Cell Stimulate Factors Extracted From Human and C292 Bovine Fetal Tissues," Abstract 364, "Proceedings 7th Intl. Congress of Endocrinology," Quebec City, Quebec, July 1-7, 1984.

| EXAMINER / | James Jahr | DATE CONSIDERED | 6 6 2005 | |
|------------|------------|-----------------|----------|--|
| | | | | |

PAGE 5 OF 12

| · | | | PAGE 5 OF 12 | | |
|-------------------------------------|---|---|--|--|--|
| FORM PTO - 1449 | | | ATTORNEY DOCKET NO.: LEX-003 | | |
| SUPPLEMENTAL INFORMATION DISCLOSURE | | | APPLICANT(S): Gillies et al. | | |
| STATEMENT | | | SERIAL NO.: 09/256,156 | | |
| | | | FILING DATE: February 24, 1999 GROUP: 1647 | | |
| | | OTHER ART, JOUR | RNAL ARTICLES, ETC. | | |
| EXAM. | отн | ER DOCUMENTS: (Including Author, Tit | le, Date, Relevant Pages, Place of Publication) | | |
| INIT. | | | | | |
| 44 | C293 Congote, (1983), "Isolation of Two Biologically Active Peptides, Erythrotropin I and Erythrotropin II from Fetal Calf Intestine," <u>Biochem. Biophys. Res. Commun.</u> , 115(2):477-83. | | | | |
| | C294 | Congote, (1984), "Extraction from Fetal Box Factor," <u>Anal. Biochem.</u> , 140:428-33. | vine Serum of Erythrotropin, an Erythroid Cell-Stimulating | | |
| | C295 | | ignment in Human Interleukin-7 by Matrix-Assisted Laser and Site-Directed Cysteine to Serine Mutational Analysis," <u>J. Biol.</u> | | |
| | C296 | Cunningham et al., (1989), "High-Resolution Scanning Mutagenesis," Science, 244:1081- | n Epitope Mapping of hGH-Receptor Interactions by Alanine- 85. | | |
| | C297 | Curiel et al., (1991), "Adenovirus Enhancem Natl. Acad. Sci. USA, 88:8850-4. | nent of Transferrin-Polylysine-Mediated Gene Delivery," Proc. | | |
| | C298 | Dauber-Osguthorpe et al., (1988), "Structure and Energetics of Ligand Binding to Proteins: Escherichia Coli Dihydrofolate Reductase-Trimethoprim, A Drug-Receptor System," Proteins, 4:31-47. | | | |
| | C299 | Daugherty et al., (1991), "Polymerase Chain Reaction Facilities the Cloning, CDR-Grafting, and Rapid Expression of a Murine Monoclonal Antibody Directed Against the CD18 Component of Leukocyte Integrins," Nucleic Acid Res., 19:2471-2476. | | | |
| | C300 | De Bruijn et al., (1995), "Phagocyte-Induced Antigen-Specific Activation of Unprimed CD8+ T Cells in Vitro," Eur. J. Immunol., 25:1274-85. | | | |
| | C301 | Delorme et al., (1992), "Role of Glycosylation Biochemistry, 31:9871-6. | on on the Secretion and Biological Activity of Erythropoietin," | | |
| | C302 | Desai et al., (1992), "IL-12 Receptor. II. Dis 148:3125-32. | tribution and Regulation of Receptor Expression," J. Immunol., | | |
| | C303 | Donnelly et al., (1993), "Targeted Delivery of by a Modified Pseudomonas Exotoxin," Proc | of Peptide Epitopes to Class I Major Histocompatibility Molecules Natl. Acad. Sci. USA, 90:3530-4. | | |
| | C304 | Donnelly et al., (1997), "DNA Vaccines," A | nnu. Rev. Immunol., 15:617-48. | | |
| | C305 | Dube et al., (1988), "Glycosylation at Specifiand Biological Function," J. Biol. Chem., 26 | ic Sites of Erythropoietin is Essential for Biosynthesis, Secretion, 3:17516-21. | | |
| | C306 | Ellison et al., (1982), 'The Nucleotide Sequence of a Human Immunoglobulin C γ ₁ Gene," Nucleic Acids Res., 10:4071-9. | | | |
| | C307 | Faas et al., (1993), "Phenotypically Diverse Mouse Thymic Stromal Cell Lines which Induce Proliferation and Differentiation Of Hematopoietic Cells," <u>Eur. J. Immunol.</u> , 23:1201-14. | | | |
| | C308 | Farner et al., (1995), "Distinction Between γ _c C Detection and Function in YT Lymphoid Cells and in the Granulocyte-Macrophage Colony-Stimulating Factor-Responsive Human Myeloid Cell Line, Tf-1," <u>Blood</u> , 86:4568-78. | | | |
| | C309 | Fawell et al., (1994), 'Tat-Mediated Delivery 91:664-8. | y of Heterologous Proteins into Cells," Proc. Natl. Acad. Sci. USA, | | |
| EXAMIN | er / | lactedy | DATE CONSIDERED 6 6 2005 | | |
| | | | | | |

PAGE 6 OF 12

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-003 SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. STATEMENT SERIAL NO.: 09/256,156 FILING DATE: February 24, 1999 **GROUP: 1647** OTHER ART, JOURNAL ARTICLES, ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Fu et al., (1993), "The Sheep Erythropoietin Gene: Molecular Cloning and Effect of Hemorrhage on Plasma C310 Erythropoietin and Renal/Liver Messenger RNA in Adult Sheep," Mol. Cell. Endocrinol., 93:107-16. Gainsford et al., (1996), "Leptin Can Induce Proliferation, Differentiation, and Functional Activation of C311 Hemopoietic Cells," Proc. Natl. Acad. Sci. USA, 93:14564-14568. Gammon et al., (1992), "Endogenous Loading of HLA-A2 Molecules with an Analog of the Influenza Virus Matrix Protein-Derived Peptide and Its Inhibition By An Exogenous Peptide Antagonist," J. Immunol., 148:7-C312 Ghetie et al., (1990), "Disseminated or Localized Growth of a Human B-Cell Tumor (Daudi) in SCID Mice," C313 Intl. J. Cancer, 45:485. Ghetie et al., (1997), "FcRn: The MHC Class I-Related Receptor that is More Than an IgG Transporter," C314 Immunology Today, 18(12):592-598. Goldwasser et al., (1971), "Purification of Erythropoietin," Proc. Natl. Acad. Sci. USA, 68:697-8. C315 Goldwasser et al., (1975), "Erythropoeitin: Assay and Study of its Mode of Action," Methods Enzymol., C316 37(PtB):109-21. Gurewich et al., (1988), "Characterization of the Intrinsic Fibrinolytic Properties of Pro-Urokinase Through a Study of Plasmin-Resistant Mutant Forms Produced by Site-Specific Mutagenesis of Lysine," J. Clin, Invest., 82:1956-1962. Hashimoto et al., (1999), "Differential Antitumor Effects of Administration of Recombinant IL-18 or Recombinant IL-12 are Mediated Primarily by Fas-Fas Ligand- and Perforin-Induced Tumor Apoptosis, Respectively," J. Immunol., 163:583-9. Henikoff et al., (1992), "Amino Acid Substitution Matrices from Protein Blocks," Proc. Natl. Acad. Sci. USA, C319 89:10915-10919. Hilgers et al., (1999), "Sulfolipo-Cyclodextrin in Squalane-In-Water as a Novel and Safe Vaccine Adjuvant," C320 Vaccine, 17:219-28. Hori et al., (1987), "Establishment of an Interleukin 2-Dependent Human T Cell Line from a Patient with T Cell Chronic Lymphocytic Leukemia Who is Not Infected with Human T Cell Leukemia/Lymphoma Virus," C321 Blood, 70:1069-72. C322 Hulett et al. (1994), "Molecular Basis of Fc Receptor Function," Adv. Immunol., 57:1127. Huston et al., (1988), "Protein Engineering of Antibody Binding Sites: Recovery of Specific Activity in an C323 Anti-Digoxin Single-Chain Fv Analogue Produced In Escherichia Coli," Proc. Natl. Acad. Sci. USA, 85:5879-5883. Isaacs et al., (1998), "Therapy with Monoclonal Antibodies. II. The Contribution of Fcy Receptor Binding and C324 the Influence of CH1 and CH3 Domains on In Vivo Effector Funcion," J. Immunol., 161:3862-3869, Jacobs et al., (1985), "Isolation and Characterization of Genomic And cDNA Clones of Human C325 Erythropoietin," Nature, 313:806-10.

EXAMINER JOHN DATE CONSIDERED 6/6/2005

PAGE 7 OF 12 ATTORNEY DOCKET NO.: LEX-003 **FORM PTO - 1449** SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. STATEMENT SERIAL NO.: 09/256,156 FILING DATE: February 24, 1999 **GROUP: 1647** OTHER ART, JOURNAL ARTICLES, ETC. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) EXAM. INIT. Jefferis et al., (1990), "Molcular Definition of Interaction Sites on Human IgG for Fc Receptors huFcyR," Mol. C326 Immunol., 27(12):1237-1240. Karlin et al., (1990), "Methods for Assessing the Statistical Significance of Molecular Sequence Features by C327 Using General Scoring Schemes," Proc. Natl. Acad. Sci. USA, 87:2264-8. Karlin et al., (1993), "Applications and Statistics for Multiple High-Scoring Segments in Molecular C328 Sequences," Proc. Natl. Acad. Sci. USA, 90:5873-7. Karpusas et al., (1997), "The Crystal Structure of Human Interferon β at 2.2-A Resolution," Proc. Natl. Acad. C329 Sci. USA, 94:11813-11818. Kelner et al., (1994), "Lymphotactin: A Cytokine that Represents a New Class of Chemokine," Science, C330 266:1395-9. King et al., (2004), "Phase I Clinical Trial of the Immunocytokine EMD 273063 in Melanoma Patients," J. C331 Clin. Oncol., 22(22):4463-73. Klinman et al., (1997), "Contribution of CpG Motifs to the Immunogenicity of DNA Vaccines," J. Immunol., C332 158:3635-9. Ko et al., (2004), "Safety, Pharmacokinetics, and Biological Pharmacodynamics of the Immunocytokine EMD 273066 (huKS-IL2)," J. Immunotherapy, 27:232-239. Kuntz et al., (1982), "A Geometric Approach to Macromolecule-Ligand Interactions," J. Mol. Biol., 161:269-C334 Kurtz, (1982), "A New Candidate for the Regulation of Erythropoiesis. Insulin-Like Growth Factor I," C335 FEBLAL, 149(1):105-8. C336 Lai et al., (1986), "Structural Characterization of Human Erythropoietin," J. Biol. Chem., 261:3116-21. C337 Lai et al., (1998), "DNA Vaccines," Crit. Rev. Immunol., 18:449-84. Lanza et al., (1993), "Active Immunity against the CD4 Receptor by Using an Antibody Antigenized with C338 Residues 41-55 of the First Extracellular Domain," Proc. Natl. Acad. Sci. USA, 90:11683-7. Lawn et al., (1981), "DNA Sequence of a Major Human Leukocyte Interferon Gene," Proc. Natl. Acad. Sci. C339 USA, 78:5435-9. Lin et al., (1985), "Cloning and Expression of the Human Erythropoietin Gene," Proc. Natl. Acad. Sci. USA, C340 82:7580-4. Lin et al., (1986), "Monkey Erythropoietin Gene: Cloning, Expression and Comparison with the Human C341 Erythropoietin Gene," Gene, 44:201-9. Lode et al., (1998), "Gene Therapy with a Single Chain Interleukin 12 Fusion Protein Induces T Cell-

Dependent Protective Immunity in a Syngeneic Model of Murine Neuroblastoma," Proc. Natl. Acad. Sci. USA,

C342

95:2475-80.

PAGE 8 OF 12

ATTORNEY DOCKET NO.: LEX-003 **FORM PTO - 1449** SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. STATEMENT SERIAL NO.: 09/256,156 FILING DATE: February 24, 1999 **GROUP: 1647** OTHER ART, JOURNAL ARTICLES, ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Lorenz et al., (1999), "Induction of Anti-Tumor Immunity Elicited by Tumor Cells Expressing a Murine LFA-C343 3 Analog Via a Recombinant Vaccinia Virus," Hum. Gene Ther., 10:623-31. Lotze et al., (1996), "Cytokine Gene Therapy of Cancer Using Interleukin-12: Murine and Clinical Trials," C344 Ann. NY Acad. Sci., 795:440-54. Macdougall et al., (1999), "Pharmacokinetics of Novel Erythropoiesis Stimulating Protein Compared with C345 Epoetin Alfa in Dialysis Patients," J. Am. Soc. Nephrol., 10:2392-5. MacLean et al., (1996), "Enhancing the Effect of Theratope STn-KLH Cancer Vaccine in Patients with C346 Metastatic Breast Cancer by Pretreatment with Low-Dose Intravenous Cyclophosphamide," J. Immunother., 19(4):309-316. Maghazachi et al., (1997), "Interferon-Inducible Protein-10 and Lymphotactin Induce the Chemotaxis and Mobilization of Intracellular Calcium in Natural Killer Cells through Pertussis Toxin-Sensitive and -Insensitive Heterotrimeric G-Proteins," FASEB J., 11:765-74. Mariani et al., (1997), "Turnor Targeting Potential of the Monoclonal Antibody BC-1 against Oncofetal C348 Fibronectin in Nude Mice Bearing Human Tumor Implants," Cancer, 80:2378-84. Marshall et al., (1994), "Role of the Polymorphic Residues in HLA-DR Molecules in Allele-Specific Binding C349 of Peptide Ligands," J. Immunol., 152:4946-57. Marshall et al., (1995), "Prediction of Peptide Affinity to HLA-DR Molecules," Biomed, Pept. Proteins C350 Nucleic Acids, 1(3):157-62. McDonald, (1986), "Cloning, Sequencing, and Evolutionary Analysis of the Mouse Erythropoietin Gene," Mol. C351 Cell. Biol., 6:842-8. McGonigle et al., (1984), "Erythropoietin Deficiency and Inhibition of Erythropoiesis in Renal Insufficiency," C352 Kidney Int., 25(2):437-44. McMahan et al., (1991), "A Novel IL-1 Receptor, Cloned From B-Cells by Mammalian Expression is C353 Expressed in Many Cell Types," EMBO J., 10:2821-32. McMahon et al., (1990), 'Pharmacokinetics and Effects of Recombinant Human Erythropoietin after C354 Intravenous and Subcutaneous Injections in Healthy Volunteers," Blood, 76:1718-22 Mehrotra et al., (1993), "Effects of IL-12 on the Generation of Cytotoxic Activity in Human CD8+ T C355 Lymphocytes," J. Immunol., 151:2444-52. Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300. Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64. C357 Miyake et al., (1988), "Synthesis of Recombinant Human Single-Chain Urokinase-Type Plasminogen C358 Activator Variants Resistant to Plasmin and Thrombin," J. Biochem., 104:643-647.

| EXAMINER Jana Haly | DATE CONSIDERED 6 6 2005 |
|--------------------|--------------------------|
| | |

PAGE 9 OF 12

| | | | PAGE 9 OF 12 | | | |
|----------------|---|---|--|--|--|--|
| FORM P | TO - 1 | 449 | ATTORNEY DOCKET NO.: LEX-003 | | | |
| | | | APPLICANT(S): Gillies et al. | | | |
| STATEMENT | | | SERIAL NO.: 09/256,156 | | | |
| | | | FILING DATE: February 24, 1999 GROUP: 1647 | | | |
| | OTHER ART, JOURNAL ARTICLES, ETC. | | | | | |
| EXAM. INIT. | ОТН | tle, Date, Relevant Pages, Place of Publication) | | | | |
| 44 | C359 | Morrison et al., (1984), "Chimeric Human A Constant Region Domains," Proc. Natl. Aca | Antibody Molecules: Mouse Antigen-Binding Domains with Human d. Sci. USA, 81:6851-5. | | | |
| 1 | C360 | Nagao et al., (1992), "Nucleotide Sequence | of Rat Erythropoietin," Biochim. Biophys. Acta, 1171(1):99-102. | | | |
| | C361 Nastala et al., (1994), "Recombinant IL-12 Administration Induces Tumor Regression in Association with IFI 7 Production," <u>J. Immunol.</u> , 153:1697-706. | | | | | |
| | C362 | Naughton et al., (1983), "Evidence for an Education of the Disease," Acta. Haemat., 69:171-9. | rythropoletin-Stimulating Factor in Patients with Renal and Hepatic | | | |
| | C363 | Neal et al., (2004), "Enhanced Activity of H when Combined with Interleukin-2 Therapy | u14.18-IL2 Immunocytokine against Murine NXS2 Neuroblastoma." Clin, Cancer. Res., 10:4839-4847. | | | |
| | C364 | | ecombinant Human Single Chain Urokinase-Type Plaminogen Mutagenesis of Lysine 158," <u>J. Biol. Chem.</u> , 262(12):5682-5689. | | | |
| | C365 Noguchi et al., (1994), "A Mouse Mutant P53 Product Recognized by CD4+ and CD8+ T Cells," Proc. Natl. Acad. Sci. USA, 91:3171-5. | | | | | |
| | C366 | Orlandi et al., (1989), "Cloning Immunoglobulin Variable Domains for Expression by the Polymerase Chain Reaction," Proc. Natl. Acad. Sci. USA, 86:3833-7. | | | | |
| | C367 Palucka et al., (1998), "Dendritic Cells as the Terminal Stage of Monocyte Differentiation," J. Immunol., 160:4587-95. | | | | | |
| | C368 Panina-Bordignon et al., (1989), "Universally Immunogenic T Cell Epitopes: Promiscuous Binding to Human MHC Class II and Promiscuous Recognition by T Cells," Eur. J. Immunol., 19:2237-42 Pavlović-Kentera et al., (1980), "Effects of Prostaglandin Synthetase Inhibitors, Salt Overload and Renomedullary Dissection on the Hypoxia Stimulated Erythropoietin Production in Rats," Exp. Hematol., 8(Supp. 8):283-92. | | | | | |
| | | | | | | |
| | C370 | Pedley et al. (1999), "Enhancement of Antibby an Antivascular Agent," Cancer Res., 59: | ody-Directed Enzyme Prodrug Therapy in Colorectal Xenografts 3998-4003. | | | |
| | C371 | | Cell Stimulatory Factor or IL-12 Has Differential Effects on the phocytes, and NK Cells," J. Immunol., 149:3495-502. | | | |
| | C372 Pluschke et al., (1996), "Molecular Cloning of a Human Melanoma-Associated Chondroitin Sulfate Proteoglycan," Proc. Natl. Acad. Sci. USA, 93:9710-5. | | | | | |
| | C373 | Poon et al., (1995), "Structure and Function of Several Anti-Dansyl Chimeric Antibodies Formed by Domain Interchanges Between Human IgM and Mouse IgG2b," <u>J. Biol. Chem.</u> , 270:8571-7. | | | | |
| | C374 | Queen et al., (1989), "A Humanized Antiboo USA, 86:10029-33. | ly that Binds to the Interleukin 2 Receptor," Proc. Natl. Acad. Sci. | | | |
| | C375 | Radhakrishnan et al., (1996), "Zinc Mediated Crystallography," <u>Structure</u> 4(12):1453-63. | d Dimer of Human Interferon-α _{2b} Revealed by X-Ray | | | |
| EXAMIN | ER / | Jan Maly | DATE CONSIDERED 6 2005 | | | |
| | | | | | | |

PAGE 10 OF 12

FORM PTO - 1449 ATTORNEY DOCKET NO.: LEX-003 SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. **STATEMENT** SERIAL NO.: 09/256,156 **GROUP: 1647** FILING DATE: February 24, 1999 OTHER ART, JOURNAL ARTICLES, ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. C376 Ramachandran et al., (1968) "Conformation of Polypeptides and Proteins," Adv. Prot. Chem., 23:283-299. Rarey et al., (1995), "Time-Efficient Docking of Flexible Ligands into Active Sites Of Proteins," Proc. Int. C377 Conf. Intell. Syst. Mol. Biol. 3:300-8. Resegotti et al., (1981), "Treatment of Aplastic Anaemia with Methenolone, Stanozolol and Nandrolone. A C378 Report of 130 Cases," Pan. Med., 23:243-8. Riechmann et al., (1988), "Reshaping Human Antibodies for Therapy," Nature, 332:323-7. Robinson et al., (1998), "Optimizing the Stability of Single-Chain Proteins by Linker Length and Composition C380 Mutagenesis," Proc. Natl. Acad. Sci. USA, 95:5929-34. Rothmann et al., (1982), "Erythropoietin-Dependent Erythrocytosis associated with Hepatic Angiosarcoma," J. C381 Surg. Oncol., 20:105-8. Runkel et al., (1998), "Structural and Functional Differences Between Glycosylated and Non-Glycosylated C382 Forms of Human Interferon-B (IFN-B)," Pharmaceutical Res., 15:641-649. Sakano et al., (1980), "Two Types of Somatic Recombination are Necessary for the Generation of Complete C383 Immunoglobin Heavy-Chain Genes," Nature, 286:676-683. Săli et al., (1993), "Comparative Protein Modelling by Satisfaction of Spatial Restraints," J. Mol. Biol., C384 234:779-815. Schecter et al., (1997), "Tissue Factor is Induced by Monocyte Chemoattractant Protein-1 in Human Aortic C385 Smooth Muscle And THP-1 Cells," J. Biol. Chem., 272:28568-73. Sharp et al., (1988), "Codon Usage Patterns in Escherichia coli, Bacillus subtilis, Saccharomyces cerevisiae, C386 Schizosaccharomyces pombe, Drosophila melanogaster and Homo sapiens; a Review of the Consdierable Within-Species Diversity," Nucleic Acids Res., 16(17):8207-8211. Simonsen et al., (1983), "Isolation and Expression of an Altered Mouse Dihydrofolate Reductase cDNA," Proc. C387 Natl. Acad. Sci. USA, 80:2495-2499. C388 Smith et al., (1981), "Identification of Common Molecular Subsequences," J. Mol. Biol., 147:195-197. Soligo et al., (1998), "Expansion of Dendritic Cells Derived from Human CD34+ Cells in Static And C389 Continuous Perfusion Cultures," Br. J. Haematol., 101:352-63. Spivak et al., (1989), "The In Vivo Metabolism of Recombinant Human Erythropoietin in The Rat," Blood, C390 73:90-9. Sturniolo et al., (1999), "Generation of Tissue-Specific and Promiscuous HLA Ligand Databases Using DNA C391 Microarrays and Virtual HLA Class II Matrices," Nat. Biotech., 17(6):555-61. Suliman et al., (1996), "Cloning of a cDNA Encoding Bovine Erythropoietin and Analysis of Its Transcription C392 in Selected Tissues," Gene, 171:275-80.

| EXAMINER Joseph John | DATE CONSIDERED 6/6/2005 |
|----------------------|---------------------------------------|
| | · · · · · · · · · · · · · · · · · · · |

PAGE 11 OF 12

ATTORNEY DOCKET NO.: LEX-003 **FORM PTO - 1449** SUPPLEMENTAL INFORMATION DISCLOSURE APPLICANT(S): Gillies et al. STATEMENT SERIAL NO.: 09/256.156 **GROUP: 1647** FILING DATE: February 24, 1999 OTHER ART, JOURNAL ARTICLES, ETC. EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. Taniguchi et al., (1980), "Expression of the Human Fibroblast Interferon Gene in Escherichia Coli," Proc. Natl. C393 (Jd4) Acad, Sci. USA, 77:5230-5233. Thurner, (1999), "Generation of Large Numbers of Fully Mature and Stable Dendritic Cells from C394 Leukapheresis Products for Clinical Application," J. Immunol. Methods, 223:1-15. Tiruppathi et al., (1996), "Isolation and Characterization of a Cell Surface Albumin-Binding Protein from C395 Vascular Endothelial Cells," Proc. Nat. Acad. Sci. USA, 93:250-4. Van Den Eynde et al., (1989), "Presence on a Human Melanoma of Multiple Antigens Recognized By C396 Autologous CTL," Int. J. Cancer, 44:634-40. Van Der Bruggen et al., (1991), "A Gene Encoding an Antigen Recognized by Cytolytic T Lymphocytes on a C397 Human Melanoma," Science, 254:1643-7 Van Heyningen et al., (1982), "Human MHC Class II Molecules as Differentiation Markers," Immunogenetics, C398 16:459-69 C399 Voest et al., (1995), "Inhibition of Angiogenesis in Vivo by Interleukin 12," J. Natl. Canc. Inst., 87:581-6. Von Heijne et al., (1986), "A New Method for Predicting Signal Sequence Cleavage Sites," Nucleic Acid Res., C400 14:4683-4690. Ward et al., (1995), "The Effector Functions of Immunoglobulins: Implications for Therapy," Therapeutic. C401 Immunology, 2:77-94. C402 Watson et al., (1984), "Compilation of Published Signal Sequences," Nucleic Acid Res., 12:5145-5164. Weber et al., (2001), 'Phase I Trial of huKS-IL2 Immunocytokine in Patients with Prostate Carcinoma: C403 Clinical, PK, and Biological PD Results (Abstract)," American Society of Clinical Oncology Program/Proceedings, 20(Part 1):259a. Weitkamp et al., (1973), "Additional Data on the Population Distribution of Human Serum Albumin Genes; C404 Three New Variants," Ann. Hum. Genet., 37:219-26. Woof et al., (1986), "Localisation of the Monocyte-Binding Region on Human Immunoglobulin G," Mol. C405 Immunol., 23:319-30. C406 Wyatt et al., (1998), "The Antigenic Structure of the HIV gp120 Envelope Glycoprotein," Nature, 393:705-11. Wysocka et al., (1995), "Interleukin-12 is Required for Interferon-7 Production and Lethality in C407 Lipopolysaccharide-Induced Shock in Mice," Eur. J. Immunol., 25:672-6. Yan et al., (1996), "Characterization of an Ig VH Idiotope that Results in Specific Homophilic Binding and C408 Increased Avidity for Antigen," J. Immunol., 157:1582-8. Yeh et al., (1992), "Design of Yeast-Secreted Albumin Derivatives for Human Therapy: Biological and Antiviral Properties of a Serum Albumin-CD4 Genetic Conjugate," Proc. Natl. Acad. Sci. USA, 89:1904-8.

PAGE 12 OF 12

| FORM F SUPPLE STATEN | MENT | 449 AL INFORMATION DISCLOSURE | ATTORNEY DOCKET NO.: LEX-003 APPLICANT(S): Gillies et al. SERIAL NO.: 09/256,156 FILING DATE: February 24, 1999 GROUP: 1647 | | | |
|--|--|----------------------------------|--|--|--|--|
| | | OTHER ART, JOU | rnal articles, etc. | | | |
| EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. | | | | | | |
| 4 | C410 Zhang et al., (1994), "Structure/Activity Analysis of Human Monocyte Chemoattractant Protein-1 (MCP-1) by Mutagenesis," J. Biol. Chem., 269:15918-24. | | | | | |
| ١ | C411 | | fouse IgG Antibodies with Shuffled Constant Region Exons bute to In Vivo Half-Life," Cancer Res., 58(17):3905-8. | | | |
| EXAMIN BOS-8187 | (| Josephaly | DATE CONSIDERED 6/6/2045 | | | |